

S va V virusli gepatitlarida jigar gemosiderozining surunkali kasalliklar anemiyasi markeri sifatida kelishi

Feruza Khaydarovna Mamatkulova
Jamshid Talat ug'li To'raqulov
Umidbek Sobirovich Ibragimov
Samarqand davlat tibbiyot universiteti

Annotatsiya: So'nggi o'n yilliklarda dunyoda ko'plab mamlakatlarda surunkali diffuz kasalliklar bilan - jigar kasalligi, ayniqsa yoshlar orasida mehnat yoshida bemorlar sonining ko'payishi tendensiyasi mavjud. So'nggi o'n yillikda virusli gepatit tarqalishi bo'yicha Rossiya alohida o'rinni egallaydi. Inyeksion gilyovand moddalarni iste'mol qiluvchilarning 80% gacha viruslar bilan kasallangan B, C, D yoki bir vaqtning o'zida bir nechta aralash gepatit B + C, B + D dolzarb muammosi, turli xil klinik ko'rinishlar namoyon bo'lishi bilan tavsiflanadi va erta tashxis qo'yishdagi qiyinchiliklar tug'diradi, natijada SP terapiyasi va oldini olishda katta xatoliklarga yo'l qo'yiladi[11]. Faol o'rganish yillari davomida quyidagilar aniqlandi: etiologiyaning ko'plab asosiy savollari, patogenezi, tashxisni tekshirish, kurs va inson tanasining surunkali kasalliklarining natijalari. SJK ekanligi isbotlangan keng ko'lamli ekstragepatik ko'rinishlarning tez-tez rivojlanishi bilan tizimli patologiya ba'zan yetakchi rolga ega bo'lishi mumkin [14]. Ekstragepatik ko'rinishlar ko'pincha nafaqat jigar ko'rinishlarini maskalaydi, balki kasallikning prognozini ham aniqlashda qiyinchilik tug'diradi[20]. Ko'plab tadqiqotlar surunkali jigar kasalligining ekstragepatik ko'rinishlarining chastotasi natijalari nashr etilgan tadqiqotlar yuqori ekanligini ko'rsatmoqda.

Kalit so'zlar: surunkali jigar kasalliklari, jigar gemosiderozi, surunkali kasalliklar anemiyasi, gepatit V va S, gepcidin, sitokinlar

Appearance of liver hemosiderosis as a marker of anemia of chronic diseases in viral hepatitis C and V

Feruza Khaidarovna Mamatkulova
Jamshid Talat ogly Torakulov
Umidbek Sobirovich Ibragimov
Samarkand State Medical University

Abstract: In recent decades, in many countries of the world, there is a trend of increasing the number of patients with chronic diffuse diseases - liver disease,

especially among young people of working age. In the last decade, Russia occupies a special place in the spread of viral hepatitis. Up to 80% of injecting drug users are infected with viruses B, C, D or multiple mixed hepatitis B + C, B + D at the same time, an urgent problem, characterized by the manifestation of various clinical manifestations and causes difficulties in early diagnosis, resulting in major errors in SP therapy and prevention[11]. During the years of active study, many basic questions of etiology, pathogenesis, examination of diagnosis, course and results of chronic diseases of the human body were revealed. With the frequent development of extensive extrahepatic manifestations proven to be SCC, systemic pathology can sometimes play a leading role [14]. Extrahepatic manifestations often mask not only liver manifestations, but also make it difficult to determine the prognosis of the disease [20]. Many studies have shown that the frequency of extrahepatic manifestations of chronic liver disease is higher than published studies.

Keywords: chronic liver diseases, hemosiderosis of the liver, anemia of chronic diseases, hepatitis V and C, hepcidin, cytokines

Kirish: Har qanday etiologiyani surunkali jigar kasalliklari (CJK) ko'pincha gematologik kasalliklar bilan bog'liq. Ular orasida anemiya keng tarqalgan bo'lib, jigar kasalligi rivojlangan bemorlarning taxminan 75% da kuzatiladi. Ayniqsa, S va V surunkali gepatit bilan kasallangan bemorlarda kamqonlikning etiologiyasi murakkab va multifaktorialdir. JSST ma'lumotlariga ko'ra, S va V virusli gepatitning eng og'ir asorati jigar sirrozi (JS) hisoblanadi. Bu o'lim sabablari bo'yicha sakkizinchi o'rinda turadi. Shuning uchun ushbu kasalliklarning epidemiologiyasi, klinik ko'rinishi, diagnostikasi va davolash xususiyatlarini o'rganish zamonaviy gepatologiyani dolzarb muammolaridan biri hisoblanadi. Spirtli ichimliklarga katta e'tibor beriladi va alkogolli-virusli jigar kasalliklari, qaysi surunkali shakllarning ustunligi bilan tavsiflanadi.

Insonning ko'plab surunkali kasalliklari keltirib chiqaradigan surunkali kasalliklar anemiyasi (SKA) jigar gepsidinining temirni tartibga soluvchi polipeptid gormoni bilan birga keladi. mRNA ifodasi gepatotsitlardagi gepsidin liposaxaridlar ta'sirida bo'lgan Sitokinlar (IL-6, IL-1 α , TNF- α .) makrofaglar va yulduzsimon retikuloendoteliotsitlar tomonidan qo'zg'atiladi. Gepsidin ferroportinni (entotsitlar, makrofaglar va gepatotsitlardan qon plazmasiga temir tashuvchi oqsil) bog'laydi, bu temirning mikroelementning chiqarilishining kechikishi bilan funksional fondan barqaror fondga qayta taqsimlanishiga olib keladi. Bunday holda, temir gepatotsitlarda, suyak iligi makrofaglarida, taloq va jigarda to'planadi. Ferritin (hujayradagi temirni saqlaydigan oqsil) haddan tashqari to'yinganligi gemosiderin pigmentining (hujayradagi temirning ortiqcha yuklanishining morfologik belgisi) hosil bo'lishi bilan birga keladi, uning gepatotsitlar va retikuloendoteliotsitlarda

zaxiralari mavjudligi jigar gemosiderozi (JG) sifatida belgilanadi. Suyak iligiga mikroelementlar yetkazib berishning kamayishi tufayli temir zahiralarning normal yoki biroz ortishi bilan nisbiy temir tanqisligi holati rivojlanadi. Jarayonning biologik ma'nosi mikroorganizmlarning rivojlanishi va viruslarning ko'payishi uchun temirning mavjudligini cheklashdir. Shuning uchun SKA tananing umumiy qarshiligini oshirishga qaratilgan tug'ma immunitetning asosiy reaksiyalaridan biri hisoblanadi. Shuni ham esda tutish kerakki, gepcidin bakterial membranalarni yo'q qilish orqali bevosita mikroblarga qarshi ta'sirga ega.

Tadqiqot maqsadi: Surunkali virusli hepatit V va C da SKA ning eng muhim klinik, laboratoriya va morfologik ko'rinishlarini o'rganish, kasallik diagnostikasi va prognostik baholashda JG ning ahamiyatini baholash.

Materiallar va usullar: Samarqand viloyat ko'p tarmoqli tibbiyot markazining gematologiya va terapiya bo'limlarida 2021-2024- yillarda davolangan virusli etiologiyali surunkali hepatitning 23 ta holatini, yani VG-V (18) va VG-C (5) o'rgandik. Kasallikning etiologiyasi quyidagi taxlillar (HBsAg, HBeAg, HBcAb, HBV-DNK, HCV-Ab IgM, HCV-RNK) yordamida tasdiqlangan. Temir metabolizmining holati gemoglobin (Hb), qon zardobidagi temir (ZT), ferritin (FS) va temir bilan transferrinning to'yinganlik darajasi (TTD) bilan baholandi. Morfologik tadqiqot davomida kasallikning faolligi va uning bosqichi, shuningdek, JG mavjudligi baholandi. JG ning SKA ning klinik va laboratoriya ko'rinishlari bilan bog'liqligini o'rganish uchun barcha kuzatuvlar 2 guruhga bo'lingan. Birinchi guruhga (JG "-") morfologik jigarda temir yuklanishining morfologik ko'rinishi bo'lmagan 17 ta holat, ikkinchi guruhga (JG "+") ushbu hodisa bilan 6 ta holat kiritilgan. Olingan ma'lumotlarga standart statistik ishlov berish amalga oshirildi.

Natijalar va uning muhokamasi: Birinchisida kuzatuv guruhi (JG "-"), temir almashinuvining holati normal ko'rsatkichlar bilan tavsiflangan: Hb - $130,1 \pm 1,4$ g/l; ZhS - $19,8 \pm 0,3$ mkmol/l; PS - $105,5 \pm 9,3$ mkg/l; NTJ - $35,2 \pm 0,9\%$. Ikkinchi guruhdagi bemorlarda (JG "+") qayd etilgan

Hamma uchun funksional temir zaxirasining sezilarli ($p < 0,06$) pasayishi (FSdan tashqari) ko'rsatkichlari: Hb - $129,4 \pm 1,9$ g/l; ZT - $19,2 \pm 0,2$ mkmol/l. U ham tashkil etilgan bu SHG yuqori bilan aniq birlashtirildi surunkali hepatit V va C ning faolligi va organ to'qimalarining fibroz darajasi. Aynan kasallikning bunday holatlarida, SKA patogenezi haqidagi ma'lumotlarga asoslanib, rivojlanish va yanada og'irroq bo'lib, biz buni taxmin qilishimiz mumkin. Ikkinchi guruh bemorlarda ZT konsentratsiyasi ($168,6 \pm 9,3$ mkg/l).

Xulosa: Shunday qilib, kamdan-kam hollarda surunkali hepatit V bilan og'rigan bemorlarda kamqonlik mezonlariga to'liq javob beradigan funksional temir fondining holati bizning kuzatishlarimizda nisbatan sodir bo'ldi. Shu bilan birga, bemorlarning ko'pchiligi JG bilan aniq birlashtirilgan ushbu fondning pasayishini qayd etdilar.

Olingan natijalarni tahlil qilish va SKA patogenezini haqidagi ma'lumotlar to'liq aniqlash imkonini beradi deb taxmin qilish o'rinalidir. Funktsional temir zaxirasining kamayishi va mikroelementlar bilan paydo bo'ladigan jigarning ortiqcha yuklanishi surunkali gepatit V va C da patogenetik asosan SKA bilan bog'liq. Demak, JG surunkali gepatit V va C da SKA ning morfologik belgisi sifatida ko'rib chiqilishi mumkin. Chunki bu markerning mavjudligi kasallikning yuqori faolligi bilan bog'liq va jigar fibrozi darajasini, uni aniqlash uchun organ to'qimalarining biopsiyalarining gistologik qismlarini Perls usulida bo'yash tavsiya etiladi.

Foydalanilgan adabiyotlar

1. M.F. Khaydarovna. Helicobacter Pylori And its Importance in the Development of Anemia Associated With Iron Deficiency and Vitamin B12 Miasto Przyszłości 44, 207-211
2. Mamatkulova F.Kh. Shomurodov K.E., Temirov N. N. Significance. Of Helicobacter Pylori In Iron Deficiency. International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; Volume.9 Issue XII Dec.2021. <https://doi.org/10.22.214/ijraset.2021.39443>. 1103-1106
3. L.S. Maxmonov, M.B. Norbo'tayeva, F.X. Mamatkulova AKUSHER GINEKOLOG AMALIYOTIDA TEMIR TANQISLIGI KAMQONLIGI Miasto Przyszłości 54, 319-327
4. Maxmonov L.S., Mamatkulova F.X., Holiqulov B.Y. Gemorragik diatezlar bilan kasallangan ayollarda tuxumdon apopleksiyasi asoratini davolash tamoyillari // Science and Education. – 2022. – T. 3. – №. 12. – C. 237-244.
5. Соколова М.Ю. Беременность и роды у женщин с идиопатической тромбоцитопенической пурпурой: автореф. дис. .. докт. мед. наук. М. 2004; 50
6. F.X. Mamatkulova., X.I. Axmedov. Temir tanqisligi kamqonligining kelib chiqish sabablari va davolashga zamonaviy yondoshuv. "SCIENCE AND EDUCATION" VOLUME 4, ISSUE 1. 2023/195-203
7. Dadajonov, U., Abdiyev, K., Mamatkulova, F., & Dadajonov, U. (2021). Innovatsionniye metodi lecheniya immunnoy trombotsitopenicheskoy purpuri u lits mladogo vozrasta. Obshestvo i innovatsii, 2(4/S), 52-56.
8. Mamatkulova F. X. Mamatova N. T. Ruziboeva. O. N. Prevention Of Anemia In Patients With Tuberculosis. The American Journal of Medical Sciences and Pharmaceutical Research, 2(11), 62–65.
9. L.S. Makhmonov., F.Kh. Mamatkulova., M.B. Berdiyaro,va, K.E. Shomurodov. THE MAIN CAUSES OF ANEMIA IN IRON AND VITAMIN B 12 DEFICIENCY ASSOCIATED WITH HELICOBACTER PYLORI
10. Makhmonov L. S., Mamatkulova F. Kh., Kholturaeva D. F., Muyiddinov Z. IMPORTANCE OF DETECTION OF HEPSEDINE AND INTERLEUKINS IN

"Science and Education" Scientific Journal / Impact Factor 3,848 (SJIF) February 2023 / Volume 4 Issue 2.

11. Mamatkulova F. X. Mamatova N. T. Ruziboeva.O. N. Prevention Of Anemia In Patients With Tuberculosis. The American Journal of Medical Sciences and Pharmaceutical Research, 2(11), 62–65.

12. Maxmonov, L. S., Mamatkulova, F. X., & Melikulov, B. S. (2023). Trombotsitopatiya bilan kasallangan ayollarda tuxumdon apopleksiyasi kechishi va asoratini davolash tamoyillariga zamonaviy yondashuv. Science and Education, 4(2), 384-391.

13. Makhmonov L. S., Mamatkulova F. Kh., Kholturaeva D. F., Muyiddinov Z. Z. IMPORTANCE OF DETECTION OF HEPSEDINE AND INTERLEUKINS IN IRON DEFICIENCY ANEMIA. Asian Journal of Multidimensional Research ISSN: 2278-4853 Vol. 11, Issue 4, April 2022

14. Dadajanov U. D., Mamatkulova Feruza Xaydarovna, R. Oyjamol N. Features Of Thrombophilia In Covid-19 European Journal of Molecular & Clinical Medicine 2020/12/26. 07/03

15. Mamatkulova Feruza Khaydarovna, Akhmedov Husan Isrofilovich, Abdiev Kattabek Makhmatovich. Essential Thrombocythemia - Principal Analysis in Children and Adolescents. JOURNAL OF INTELLECTUAL PROPERTY AND HUMAN RIGHTS Volume: 2 Issue: 10 | Oct – 2023 ISSN: 2720-6882. 23-29.

16. ON Ruziboeva, KM Abdiev, AG Madasheva, FK Mamatkulova MODERN METHODS OF TREATMENT OF HEMOSTASIS DISORDERS IN PATIENTS WITH RHEUMATOID ARTHRITIS Ученый XXI века 78 (7), 8-11.

17. LS Maxmonov, FX Mamatkulova, OE Alimov, UU Raxmonov. Yelka Kamari Operatsiyalarida Regional Anesteziyaning Samaradorligi Miasto Przyszłości 47, 993-997

18. Abdiyev K.M., Dadajanov U.D., Mamatkulova F.X. Nekotoriye aspekti vedeniya bolnix s trombotsitopenicheskoy purpuroy oslojnennoy s apopleksiyey yaichnika. Problemi ekologii, zdorovya, farmatsii i parazitologii. Nauchniye trudi. Moskva. 2013 g. Str. 372-373.

19. Makhmonov L.S., Sh. Koraboev S.K., Gapparova N..Sh, Mamatkulova F. Kh. Early diagnosis and treatment of funicular myelosis in v12 deficiency anemia. Asian Journal of Multidimensional Research Year : 2022, Volume : 11, Issue : 5. First page : (369) Last page : (373) Online ISSN : 2278-4853.

20. Mamatkulova F.X., Alimov O.E., Namozov M.N.O'. Abdominal jarroxlik operatsiyalardan keyingi davrda regional anesteziyaning samaradorligi va rivojlangan kamqonlikni davolash //Science and Education. – 2023. – T. 4. – №. 2. – C. 445-452.

21. KM Abdiev, AG Madasheva, FK Mamatkulova MODERN METHODS OF TREATMENT OF HEMORRHAGIC SYNDROME AT AN EARLY STAGE IN

PATIENTS WITH IDIOPATHIC THROMBOCYTOPENIC PURPURA. УЧЕНЫЙ XXI BEKA, 41-44

22. MF Khaydarovna, AH Isrofilovich, AK Makhmatovich Essential Thrombocythemia-Principal Analysis in Children and Adolescents. Journal of Intellectual Property and Human Rights 2 (10), 23-29

23. 24. Maxmonov L.S.,Mamatkulova F.X.,Holiqulov B.Y.Trombotsitopatiya bilan kasallangan ayollarda tuxumdon apopleksiyasi asoratini davolash tamoyillari Biologiya va tibbiyot muammolari 2022, №1.UDK: 615.3:617.01.134 ISSN 2181-5674 61-67s.

25. K.M Abdiev, AG Madasheva, F Kh Mamatkulova. MODERN METHODS OF TREATMENT OF HEMORRHAGIC SYNDROME AT AN EARLY STAGE IN PATIENTS WITH IDIOPATHIC THROMBOCYTOPENIC PURPURA. УЧЕНЫЙ XX

26. L.S. Makhmonov, FK Mamatkulova, MB Berdiyaroova, KE Shomurodov. The main causes of anemia in iron and vitamin b 12 deficiency associated with helicobacter pylori.Nveo-natural volatiles & essential oils Journal| NVEO, 10167-10174I BEKA. Ct.41

27. K.M Abdiev, FK Mamatkulova, KM Shomirzaev.STRUCTURE OF COMORBIDITY IN IDIOPATHIC THROMBOCYTOPENIC PURPLE ACADEMICIA: An International Multidisciplinary Research Journal 12 (12), 52-56

28. Abdiyev K.M., Mamatkulova F.X., Shomirzayev X. M. Immun trombotsitopenik purpurani davolashning innovatsion va noanaviy usullari //Science and Education. – 2023. – T. 4. – №. 1. – S. 228-234.

29. Abdiev Kattabek Makhmatovich, Mamatkulova Feruza Khaydarovna. Structure of comorbidity in idiopathic thrombocytopenic purple SKM ACADEMICIA: An International Multidisciplinary Research Journal 22 (12), 56-60

30. U.D DADAJONOV, KM ABDIEV, FX MAMATKULOVA. Innovative methods of treatment of immune thrombocytopenic purpura in young people Society and innovations, 52-56 Society and innovations, 52-56

31. Mamatkulova F. X., Usmonqulov J. Sh. O‘. Vitamin V12 kamqonligi va uni davolash //Science and Education. – 2023. – T. 4. – №. 2. – S. 252-259.

32. Maxmonov L., Mamatkulova, F., Abdiyev, K., & Amerova, D. (2021). The importance of using clinical audit in teaching the subject of hematology. Obshestvo i innovatsii, 2(6), 215-221.

33. FX Mamatkulova, SF Ziyodinov, DX Suyundiqov. Yurak-qon tomir kasalliklari bo ‘lgan bemorlarda qonining elektrokinetik va klinik-laborator ko‘rsatmalari. Science and Education 5 (2), 154-160

34. Gadayev A.G., Maxmonov L.S., Mamatqulova F.X. *Helicobacter pylori* bilan assotsiyalangan temir va vitamin B12 tanqisligi kamqonliklarida yallig‘lanish sitokinlarining ayrim laborator ko‘rsatkichlar bilan o‘zaro bog‘liqligi. – 2022.