

Changes in product unevenness during different spinning process stages

Ulugbek Gulbaev

ulugbekgulboev94@gmail.com

Jizzakh Polytechnic Institute

Abstract: In this scientific article, research work was carried out on product unevenness during the passes of the spinning process, and the results are presented in figures.

Keywords: spinning process, cotton fiber, linear unevenness, quadratic unevenness, roving, sliver, yarn

Currently, based on market economics, research work has been conducted to determine the unevenness of sliver and roving in the spinning process. For this purpose, samples of sliver and roving were taken from various spinning process stages, and their unevenness indicators were determined in the laboratory (Table 1).

Table 1


Changes in product unevenness during different spinning process stages

No.	Products	Mixture composition, %		
		4-I-30%, 5-I-70%	4-II-60%, 5-I-40%	4-I-60%, 4-II-40%
1.	Carding machine sliver			
	U_m Linear unevenness, %	3.62	3.22	3.19
	CV_m Quadratic unevenness, %	4.47	4.08	4.02
2.	Drawing frame sliver			
	U_m Linear unevenness, %	3.64	3.65	3.46
	CV_m Quadratic unevenness, %	4.64	3.46	4.38
3.	Lap on the lap former			
	U_m Linear unevenness, %	4.78	4.39	4.57
	CV_m Quadratic unevenness, %	6.00	5.49	5.69

Based on the research results, graphs showing the influence of various mixture compositions on the quadratic unevenness of raw materials during the spinning process stages were constructed in Figures 1, 2, and 3.


Analyzing the research results, we observe that in the 4-I-30%, 5-I-70% mixture, the linear unevenness of the sliver on the carding machine is 3.62%, and the quadratic unevenness is 4.67%. The linear unevenness of the sliver on the roving machine is 3.64%, and the quadratic unevenness is 4.64%. The linear unevenness of the web on the sliver combining machine is 4.78%, and the quadratic unevenness is 6.0%. In the 4-II-60%, 5-I-40% mixture, the linear unevenness of the sliver on the carding machine is 3.22%, and the quadratic unevenness is 4.08%. The linear unevenness of the sliver on the roving machine is 3.65%, and the quadratic unevenness is 3.46%.

The linear unevenness of the web on the sliver combining machine is 4.39%, and the quadratic unevenness is 5.49%. In the 4-I-60%, 4-II-40% mixture, the linear unevenness of the sliver on the carding machine is 3.19%, and the quadratic unevenness is 4.02%. The linear unevenness of the sliver on the roving machine is 3.46%, and the quadratic unevenness is 4.38%. The linear unevenness of the web on the sliver combining machine is 4.57%, and the quadratic unevenness is 5.69%.




Spinning process stages

Figure 1. Changes in product unevenness for mixture composition 4-I-30%, 5-I-70% across spinning process stages. 1-linear unevenness; 2-quadratic unevenness.



Spinning process stages

Figure 2. Changes in product unevenness for mixture composition 4-II-60%, 5-I-40% across spinning process stages. 1-linear unevenness; 2-quadratic unevenness.



Spinning process stages

Figure 3. Changes in product unevenness in the 4-I-60%, 4-II-40% mixture throughout the spinning process stages. 1-linear unevenness; 2-quadratic unevenness.

As evident from the test results, the product unevenness throughout the spinning process stages is observed to be higher in the 4-I-30%, 5-I-70% mixture compared to other mixtures.

Analyzing the unevenness of spinning products is highly complex. There are numerous types of unevenness in spinning products: those that occur in the initial stage of spinning, those that change in subsequent stages, and new types of unevenness that are added during the process.

The unevenness of yarns, comprising several components, influences the unevenness at various stages of spinning production. Different types of irregularities are interconnected.

Testing and controlling product unevenness in spinning production is of great importance, as it determines the causes and timing of unevenness.

In spinning machines, the higher the frequency of yarn breakage during winding and forming, the greater the yarn unevenness.

As a result of increased thread breakage, worker engagement increases, leading to a decrease in machine productivity.

In conclusion, it was found that in various blends throughout the spinning process, after the carding machine, the linear unevenness of the product increased from 3.19% to 3.62%, and quadratic unevenness from 4.02% to 4.67%. After the roving machine, the linear unevenness of the product increased from 3.46% to 3.65%, and quadratic unevenness from 3.46% to 4.64%. After the roving combining machine, the linear unevenness of the product increased from 4.39% to 4.78%, and quadratic unevenness from 5.49% to 6.00%.

References

1. Kushimov A. A., Gadaev N. E., Gulbaev U. Y. O. Changes in the amount of contamination in the combed sliver and yarn during the spinning process //Science and Education. – 2021. – T. 2. – №. 1. – C. 158-162.
2. Gulbayev U. Y. O., Ruzmatov B. S., Yuldashev K. X. Creation and introduction of innovative education cluster in the leather and fur industry //Science and Education. – 2021. – T. 2. – №. 1. – C. 289-292.
3. Xoliyarov M. S. et al. To'qimachilik sanoat chiqindilarini qayta ishlash muammolari va istiqbollari //Science and Education. – 2021. – T. 2. – №. 11. – C. 384-391.
4. Jumaniyazov Q. J. et al. YIGIRISH JARAYONI O'TIMLARI BO'YICHA ARALASHMA TARKIBIGA ASOSAN CHIQINDI VA IP MIQDORINING O'ZGARISHI //Science and Education. – 2021. – T. 2. – №. 1. – C. 179-186.
5. Yusupalieva U. N. et al. Efficient use of raw materials in textile enterprises and ensuring product quality //Science and Education. – 2021. – T. 2. – №. 11. – C. 337-341.

6. Jumaniyazov Q. J. et al. Korxonalarda paxta tolasidan saralanmalar tuzish tartibi //Science and Education. – 2021. – T. 2. – №. 5. – C. 327-334.
7. Аббазов И. З., Гулбаев У. Я. Ў., Шаропов Б. технологик жараёнлардан чиқаётган чанг заррачаларининг фракцион таркиби //science and education. – 2021. – T. 2. – №. 3. – C. 129-135.
8. Jumaniyazov Q. J. et al. PAXTA TOLASIDAN SIFATLI SARALANMA TUZISH TARTIBI //Science and Education. – 2020. – T. 1. – №. 8. – C. 65-68.
9. Jumaniyazov Q. J. et al. YIGIRISH KORXONASIDA TOLANING MEXANIK SHIKASTLANISHINING ARALASHMA TARKIBI BO'YICHA O'ZGARISHI //Science and Education. – 2021. – T. 2. – №. 1. – C. 163-169.
10. Turatbekova A. et al. Study on isolation methods of natural polysaccharides //E3S Web of Conferences. – EDP Sciences, 2024. – T. 497. – C. 03016.
11. Jumaniyazov K. et al. PREDICTING THE RELATIONSHIP BETWEEN FIBER PROPERTIES AND YARN PROPERTIES //Universum: технические науки. – 2023. – №. 9-5 (114). – C. 27-30.
12. Xolmominov A., Gulbaev U., Karimov S. Properties of polypropylene yarn production //Science and Education. – 2024. – T. 5. – №. 9. – C. 172-176.
13. Jumaniyazovich J. Q. et al. CHANGES IN THE MECHANICAL DAMAGE OF THE FIBER ACCORDING TO THE COMPOSITION OF THE MIXTURE IN SPINNING MILLS //BOSHQARUV VA ETIKA QOIDALARI ONLAYN ILMIY JURNALI. – 2023. – T. 3. – №. 2. – C. 170-172.
14. Gulbayev U. Y. O., Ro'zmatov B. S. Yuldashev CREATING AND LOCATING AN INNOVATIVE TEACHING CLUSTER IN THE KX LEATHER AND FUR INDUSTRY vain ta'lim.-2021//T //T. – T. 2. – C. 289-292.
15. Xoliyarov M. S. et al. To'qimachilik sanoat chiqindilarini qayta ishlash muammolari va istiqbollari.
16. Эгамбердиев Н. Б., Гулбоев О. Я. Кунгабоиар урулини озон гази билан ишлов бериб узои муддат сашаш //Озиі-овіат, нефтгаз ва кимё саноатини ривожлантиришнинг долзарб муаммоларини ечишнинг инновацион йгллари. Бухоро. – 2020. – C. 12-14.
17. Dilmuxammad K., Otabek G., Yakhshilik G. Inheritance of the quantity of grains in first generation durum wheat hybrids //Universum: химия и биология. – 2022. – №. 10-3 (100). – C. 15-17.
18. Gulboyev O., Musirmonov D. IMPORTANCE OF PERENNIAL WHEAT IN IMPROVING SOIL STRUCTURE AND OBTAINING GREEN MASS //Models and methods in modern science. – 2022. – T. 1. – №. 14. – C. 20-22.
19. Gulboev O., Amanov A. Study of perennial wheat collection samples in mountain regions //PROSPECTS OF DEVELOPMENT OF SCIENCE AND EDUCATION. – 2023. – T. 19. – №. 23. – C. 47-50.
20. Musirmanov D., Gulboev O. THE USE OF PROMISING SOURCES IN WHEAT SELECTION //British Journal of Global Ecology and Sustainable Development. – 2023. – T. 14. – C. 71-73.

21. Gulboev O. et al. SELECTION OF PERENNIAL WHEAT COLLECTION SAMPLES IN MOUNTAIN AND SUB-MOUNTAIN REGIONS //JOURNAL OF AGRICULTURE AND LIFE SCIENCES. – 2023. – T. 6. – №. 4. – C. 84-89.

22. Normamatov N. D., Babamuratov N. N., Gulboyev O. BOSHQOLI EKANLARNI KO'PIK BILAN QURITISH UCHUN JARAYON PARAMETRLARINI OPTIMALLASHTIRISH //Бюллетень педагогов нового Узбекистана. – 2023. – Т. 1. – №. 5. – С. 144-147.

23. Otabek G. KO'P YILLIK BUG'DOYNING XUSUSIYATLARI //PROSPECTS OF DEVELOPMENT OF SCIENCE AND EDUCATION. – 2023. – Т. 19. – №. 23. – С. 138-140.

24. GULBOEV O., AMANOV A. BIR YILLIK YUMSHOQ BUG 'DOY NAV NAMUNALARINI KO 'P YILLIK BUG 'DOY NAMUNALARI BILAN DURAGAYLASHDAN OLINGAN NATIJALAR //News of the NUUz. – 2024. – Т. 3. – №. 3.1. – С. 37-39.

25. YI K. D. K. G. O. Y. G. INHERITANCE OF THE QUANTITY OF GRAINS IN FIRST GENERATION DURUM WHEAT HYBRIDS.

26. Safarov N. et al. Study of the influence of main factors on the mass and density of saw fiber separator raw material //AIP Conference Proceedings. – AIP Publishing LLC, 2025. – Т. 3268. – №. 1. – С. 020033.

27. Juraev M. et al. Results of the Research for Developing Ultra Early Ripening Varieties of Bread Wheat on Rainfed Lands in the Process of Global Climate Change //European Journal of Agricultural and Rural Education. – Т. 3. – №. 9. – С. 26-28.

28. Otabek G., Subxonberdi R., Zafar O. KO 'P YILLIK DONLI EKANLARNING AFZALLIKLARI //Science and innovation. – 2024. – Т. 3. – №. Special Issue 58. – С. 25-28.

29. Гулбоев О. ВЫРАЩИВАНИЕ СЕЛЬСКОХОЗЯЙСТВЕННЫХ КУЛЬТУР, РАЦИОНАЛЬНОЕ ИСПОЛЬЗОВАНИЕ КРУП И ВТОРИЧНЫХ ПРОДУКТОВ //Multidisciplinary Journal of Science and Technology. – 2024. – Т. 4. – №. 12. – С. 748-752.

30. Gulboev, O. Y., and A. A. Amanov. "KO 'P YILLIK DONLI EKANLAR ORQALI BARQAROR QISHLOQ XO 'JALIGIGA ERISHISH." Iqlimning davom etayotgan o'zgarishi sharoitida oziq-ovqat xavfsizligiga erishish uchun agrobiologik xilma-xillikni o'rganish, saqlash va barqaror foydalanish muammolari (2023): 235-238.